

Grid-tie solar powered farm

By Jeffrey R. Yago, P.E., CEM

Most of my past articles described solar systems that included a battery or batteries to store the collected solar energy. There are many types of solar power systems with battery backup that can be connected to the utility grid. However, technically speaking, a “grid-tie” system refers to a solar power system that transfers all of the electrical power generated directly back into the local utility grid and does not have a battery bank.

Not needing a battery bank can greatly simplify system complexity and reduce installation costs, but by code the system is not allowed to produce any power when the utility grid is down, which means a grid-tie solar system is not suitable for use as an emergency backup power system. It

will, however, significantly reduce your monthly utility costs, and since there are no batteries to maintain and periodically replace, there is almost no maintenance involved with a grid-tie solar system.

System components

A grid-tie solar photovoltaic system consists of individual solar modules wired together to create a solar array, one or more inverters to convert the solar DC power to AC grid quality power, and associated switchgear and wiring.

Although almost any size solar module can be used, most grid-tie solar inverters operate at much higher voltages than a typical 12 to 48-volt battery based solar power system, which allows more solar modules to be wired into each series “string.” Solar modules for grid-tie systems are usually chosen in the larger 100- to 300-watt per module size range, and usually include pre-wired weatherproof male and female plug connectors as shown in photo #2.

This means high voltage solar array wiring consists of just “plugging” the positive connector of one module into the negative connector of the next module until they are all




Photo 2: Back view of 165-watt solar module showing preinstalled weatherproof male and female connectors

connected together, with a final positive and negative connection made at the start and end of the array string. A word of caution is in order. Since most grid-tie inverters will allow 16 or more individual modules to be wired in each series string, you could easily be dealing with voltages over 340 volts DC, and this will generate a very large arc and very hazardous conditions if you do not use the proper components and wiring.

This grid-tie project required mounting thirty-two 165 watt solar modules on a raised seam metal barn roof. Fortunately, the solar industry now provides precut mounting systems for almost any solar module mounting arrangement, and we found a design that included clamping blocks that anchored the mounting rails directly to the raised seams of the metal barn roof.

Photo #3 shows how these adjustable high strength aluminum



Photo 1: One of two Fronius 3-kW grid-tie inverters. Note the DC-rated safety disconnect and all high voltage wiring installed in metal conduit.



Photo 3: Solar array mounting rails and raised seam metal roof clamps



Photo 4: Start of installation of solar modules on raised mounting rails

mounting rails and related stainless steel hardware were attached to this barn roof.

Photo #4 shows the array installation beginning with the attachment of the solar modules to the mounting rails. Since each module just “plugs” into the next, the array wiring is completed as each module is physically attached to the mounting rack.

Utility interconnection

Since you are using the local utility grid as your “battery,” not all electric utilities will look kindly to sending electric power back into their utility lines and turning electric meter backwards in the process. You will need to check with your local utility company before installing a grid-tie solar power system to make sure they

allow this type of interconnection.

Most states that do require their electric utilities to offer net-metering have a simple, no cost application process. Some utilities will require changing out your existing electric meter to allow them to separately record your electric flows in both directions, while a few electric utilities are still down right hostile to anyone wanting to back-feed power to the grid. Older style mechanical dial electric meters will run backwards for any reverse electrical flow and subtract from the total monthly reading, while most new electronic meters are programmed to ignore any reverse flow. There are currently 35 states that allow utility interconnection or net-metering. Although the utilities that do allow interconnection have different rate structures and billing arrangements, most will allow a

monthly carry-forward credit balance, which means those summer months when you generate more power than you use will offset purchased electrical power you used later during the winter months.

Ideally you would like to have any solar electric power sold at the same rate that you purchase electricity. This is called net-metering since you are just paying the difference between what you use and what you produce. However, some utilities only pay a very low rate for the solar power they purchase even though it is being supplied during their afternoon peak load period when their high demand generation costs are much higher.

Utilities operating in states that do allow net-metering usually require

your system to include a manual disconnect switch located next to the electric meter so they can “lock-out” the solar power grid connection when they are doing any maintenance on the nearby power lines. Since utility linemen will always earth ground and disable any power lines before they start working, and will most likely not even know if you are located near their repair location, it is doubtful that this switch will ever be actually used. Utilities will also require that you provide documentation that your inverter meets UL 1741, IEEE 929, and NEC Art. 690 code requirements, which ensure the inverter will automatically disconnect from the utility line anytime the grid is not energized.

Photo #6 shows our completed 5,280 watt installation on the south-facing roof of the barn. This system will generate almost all of the power needs of this hay barn, which includes a repair shop, carpentry shop, and small office.

Although the simplicity of a grid-tie system makes it easy for a do-it-your-



Photo 5: Utility required emergency solar disconnect located next to utility meter



Photo 6: Completed solar array on south facing barn roof

selfer to install, if you are not an experienced electrician, I strongly recommend hiring a professional due to the very high voltages involved with these systems. A list of professionally trained and certified solar photovoltaic installation professionals located in each state can be found on the Internet under the North American Board of Certified Energy Practitioners, (NABCEP).

On a final note, although solar power system costs for the same size system will be competitive from state to state, different utility rates, local tax credits, and state rebate or buy-down programs offered in some states and not others can make this either a really good investment or a very poor one. Be sure to find out what utility

rates and incentive programs are available in your area before making your final purchasing decision.

(Jeff Yago's latest text titled, *Achieving Energy Independence - One Step At A Time*, provides a very good introduction to off-grid living and battery based power systems. It is available from *Backwoods Home Magazine's* Bookstore (page 95) or by calling 804-457-9566.) Δ

Useful references

NABCEP Certified Solar
Installers:
www.nabcep.org

List of states allowing inter-
connection:
www.dsireusa.org

Fronius grid-tie inverters:
www.fronius.com

Solar mounting rail systems:
www.directpower.com

Get the BHM Alternative Energy CD-ROM

It contains 143 articles
pertaining to all forms of energy:
solar, wind, hydro, thermal, and generator.

Only \$12.95

Special!!!

Subscribe or renew using this coupon
and we'll send you this
information-packed CD-ROM


FREE!!!

www.homeenergy.info
1-800-835-2418

This coupon is good for a free copy of the *Alternative Energy CD-ROM* with your paid subscription.

Send \$23.95 with your name and address to:
BHM, PO Box 712, Gold Beach, OR 97444

Hurry!
Offer good until
Sept. 1, 2005.





Now you can have....

ENERGY INDEPENDENCE!

I asked Dean why he owned an Independent Energy Power System. His answer surprised me. *"It represents security from ever rising electrical rates. My system is like a retirement plan that pays out every month...I would own my own Independent Energy System even if the utility wires came right past my house!"*

Everyone has their own reason for owning an Independent Energy System. There is the confidence that comes from knowing that your family is provided for...regardless of storms, hurricanes or terrorist attacks. The power to run your well, refrigerator, and lights keeps flowing silently (A noisy generator is a beacon to thieves in a power outage). For some owners, it's the marvel of making their own electricity from the clean quiet energy of the sun.

Your reason may be different. Or like Dean, it may be the satisfaction of being independent of the financial demands of a utility.

Whatever your reason, a call to Independent Energy Systems will help you become energy independent. Call now for information on the IES *Powerwagon* and *Powerhouse*.

INDEPENDENT ENERGY SYSTEMS can help you plan your energy independence. Call 989-872-4848. INDEPENDENT ENERGY SYSTEMS 1935 Dodge Rd. Deford, MI 48729 www.independentenergy.biz

Hi-Power, Engine Driven, 100% Duty, DC Welders designed specifically for use in remote locations!

attach to existing engine • underhood for trucks • freestanding/ready-to-go
hydraulic drive • ultra compact go-anywhere Backpack™ welders


Thanks to New, Patented Technology, you can have a **POWERFUL Commercial Duty DC Welder** with:

- performance and features surpassing heavy duty, truck bed mounted, engine driven welders -- from a unit small enough to fit under the hood of a truck,
- the **x-ray weld quality** and the feel of a top-of-the-line commercial shop welder -- deep penetration -- easy to hold arc -- great looking welds,
- 6+ years of **job-proven reliability** backed by a **3 year warranty**,

AND

- a unique **remote control system** which makes welding much simpler & safer than ever before!

Best of all you can have this brand new welder at an incredibly low cost when compared to all other engine driven welders. Imagine -- a full featured, earn-your-living-with-it, commercial welder for less than the cost of a worn out piece of junk at an auction.



The **ZENA™** mobile welding system is U.S.A. designed and built by:

ZENA, Incorporated
330 Club Springs Road
Elmwood, TN 38560

ALL Welding Controls →
At Your Fingertips →
Built Into the →
Electrode Holder →

You Can Even Adjust
Power While Welding!

Models 150A to 1200A+!

The Ultimate Portable Welder!

Under 65 lb., complete with fuel tank and 20' welding cables, this 150 amp engine driven DC welder is so small and portable that it fits onto a backpack frame!



Find out more! On the web at:
www.zena.net

or write for a brochure – or call us:
877-ZENA INC or 615-897-2011

ZENA and Backpack are trademarks owned by ZENA, Incorporated for its welding products.